

CAPITAL REQUESTS FY 2017

	Need & Request	Explained Specific Request
1	<p>Affordable housing programs</p> <p>Provide more housing for extremely low and low income households</p> <p>Agency: Housing Preservation and Development</p>	<p>CB6 requests the preservation of existing and development of new low and moderate-income housing in CD6. Due to loss of Mitchell-Lama and Section 8 housing and loss of rent-controlled and rent-regulated housing, areas in CD6 are becoming increasingly income segregated. In order to support and retain our existing population and promote economic diversity, we call on the city to commit at least \$20 million to provide new or reclaimed low- and moderate-income housing within our district in the fort ...</p> <p>No, this is a request for our community more generally</p>
2	<p>Economic development investments</p> <p>Invest in piers or other capital projects to improve access to the waterfront</p> <p>Agency: Economic Development Corporation</p>	<p>Construct Continuous Esplanade and Bikeway Along Waterfront from 14th Street to 59th Street. CB6 has been advocating for an esplanade along the East River for over 20 years. A Memorandum of Understanding between New York State & New York City is now in place detailing the funding sources for construction of the esplanade from East 38th St. to East 59th St. Certain particulars of funding, such as UN Plaza-related dispositions remain uncertain. CB6 will insist that the City continue its commitmen ...</p> <p>Yes, this request is for an area in our community district or multiple specific sites</p>
3	<p>Facilities for seniors</p> <p>Create a new senior center or other facility for seniors</p> <p>Agency: Department for the Aging</p>	<p>Develop an Adult Day Care Center and Community Lounge/ Life Long Learning Senior Center in CD 6. The Board understands the lack of fed & state funds, but asks DFTA to aggressively advocate for such funds & seek city funds, in conjunction with other agencies, to ensure adequate services to our aging population. CD6 only has Stein Ctr & the Center at St. Peter's, a satellite location of Lenox Hill Houses. CB6 also notes DFTA's objective to provide innovative senior ctrs and the life-long learning ...</p> <p>No, this is a request for our community more generally</p>
4	<p>Affordable housing programs</p> <p>Provide more housing for special needs households, such as seniors, or the formerly homeless</p> <p>Agency: Housing Preservation and Development</p>	<p>Develop Additional Housing for the Homeless Mentally ill Population in Community District 6 as Per New York/New York III and IV. Too many mentally ill people are on the streets, in shelters or in jails where they do not receive support and medications. For these individuals, supportive housing will sharply reduce shelter recidivism and greatly improve the city's quality of life. More NY/NY program units developed by HPD contracts with SOMH are needed citywide. As consensus deems 30,000 units th ...</p> <p>No, this is a request for our community more generally</p>

CAPITAL REQUESTS FY 2017

	Need & Request	Explained Specific Request
5	<p>Park facilities and access</p> <p>Reconstruct or upgrade a parks facility</p> <p>Agency: Department of Parks and Recreation</p>	<p>Replace Windows at Asser Levy Recreation Center as necessary. The Asser Levy Recreation Center sustained severe damage from Super Storm Sandy. Much of the storm damage is being addressed. However, this request predates the storm and was a priority in our requests for FY 2015, FY2014 and before. Some windows are still in urgent need of repair or replacement.</p> <p>Yes, this request is for a specific site</p>
6	<p>Health care facilities</p> <p>Provide a new or expanded health care facility</p> <p>Agency: Health and Hospitals Corporation</p>	<p>Expand Bellevue Hospital's C-CPEP Waiting Room and Family Meeting and Interview Area. The Children's Comprehensive Psychiatric Emergency Program at Bellevue Hospital is the only psychiatric emergency care environment in New York State, and one of three in the world, dedicated solely to the care of children and adolescents. The C-CPEP census doubled from 2011 to 2012 and almost doubled again in 2013. With significant growth in volume, it is essential that Bellevue expand the physical space dedica ...</p> <p>Yes, this request is for a specific site</p>
7	<p>Affordable housing programs</p> <p>Provide more housing for special needs households, such as seniors, or the formerly homeless</p> <p>Agency: Housing Preservation and Development</p>	<p>CB6 requests city dollars be committed to the development of additional permanent housing for homeless families within our district. There is an insufficient supply of housing for homeless families. HPD needs to allocate to homeless families just five percent (5%) more of the vacant units that become available annually from the city's existing affordable housing resources. These resources include public housing, Section 8 rent subsidies and units developed by HPD, and inclusionary zoning on rezo ...</p> <p>No, this is a request for our community more generally</p>
8	<p>Economic development investments</p> <p>Invest in piers or other capital projects to improve access to the waterfront</p> <p>Agency: Economic Development Corporation</p>	<p>Install an irrigation system at Stuyvesant Cove Park. Solar One conducts numerous educational programs in the park using indigenous and exogenous varieties of plants as part of its instruction for responsible environmental practices. An irrigation system is essential for survival of the plants used throughout the park. It is anticipated that this project will cost less than \$100,000. In light of the Big U Plan on waterfront resiliency, if this irrigation system would be incorporated into the lar ...</p> <p>Yes, this request is for a specific site</p>
9	<p>FDNY facilities and equipment</p> <p>Other FDNY facilities and</p>	<p>Provide a back-up generator to Manhattan's Engine 016/007. After Superstorm Sandy, New Yorkers became aware of how our first responders could be limited in carrying out their important work when first-line equipment fails due to flooding or blackouts. Engine 16 confirms the firehouse does not</p>

CAPITAL REQUESTS FY 2017

	Need & Request	Explained Specific Request
	equipment requests Agency: Fire Department (FDNY)	have a generator, even though they are located in the post-Sandy Manhattan power-loss zone. Yes, this request is for a specific site
10	Health care facilities Other health care facilities requests Agency: Health and Hospitals Corporation	Establish and fund a \$5 Million discretionary capital fund for Bellevue Hospital Center. The hospital is restrained from being able to make large purchases as soon as equipment needs to be replaced, potentially hampering day-to-day operations of certain departments. In the past, specific capital requests on Bellevue's behalf were made on per-equipment basis. The "capital fund" would allow the hospital to seamlessly function and react to spending necessities, retaining its status as New York C ... Yes, this request is for a specific site
11	Transportation infrastructure Repair or construct new sidewalks, curbs, medians, pedestrian ramps or bus pads Agency: Department of Transportation	Rehabilitate the Cement and Asphalt Medians Along the FDR Drive Service Road (Ave C) Between 34th and 42nd Streets. CB6 requests rehabilitation of medians along the FDR service road in CD6. Some rehabilitation has been completed alongsome portions of the Service Road but the area between 34th and 42d streets has not been addressed. We understand some implementation by DOT has begun, but we call for full funding and commencement. Yes, this request is for a street segment
12	Park facilities and access Reconstruct or upgrade a park or playground Agency: Department of Parks and Recreation	Upgrade playground equipment in McArthur Park. This park is seeing significantly increased usage and requires up-to-date equipment. Yes, this request is for a specific site
13	NYPD facilities and equipment Renovate or upgrade existing precinct houses Agency: Police Department (NYPD)	CB6 requests that the 13th Precinct receive funds for a full renovation or replacement of the precinct house. With crime-fighting shifting more and more to technology-heavy approaches, precincts should be fully equipped with state of the art hardware that would increase the efficiency of uniformed and civilian staff. Precinct houses should not only function but also look like 21st Century policing facilities, with better layouts and access points that reflect modern departmental methods. NYPD ma ... Yes, this request is for a specific site
14	Schools and educational facilities	Upgrade adult/staff restrooms at PS 40. The school underwent some work on restrooms this year, but monies

CAPITAL REQUESTS FY 2017

	Need & Request	Explained Specific Request
	<p>Renovate or upgrade an elementary school</p> <p>Agency: School Construction Authority</p>	<p>allocated only covered children's bathrooms. The staff and other adults must use restrooms that are in need of renovation. Employees and visiting parents should have adequate facilities and therefore, we request they be upgraded.</p> <p>Yes, this request is for a specific site</p>
15	<p>Library facilities, equipment and programs</p> <p>Create a new, or renovate or upgrade an existing public library</p> <p>Agency: If Manhattan, Bronx or Staten Island then NYPL; If Queens then QPL; If Brooklyn then BPL</p>	<p>The Epiphany Branch Library requires a partial interior renovation to meet ADA compliance and requires immediate replacement of its windows. The library envelope reconstruction is currently funded at \$1,080,000, but there is a shortfall of at least \$1 Million as per NYPL estimates. We ask that all work at the Epiphany Branch be fully funded, including interior ADA compliance and full window replacement, to guaranty its use by the widest possible audience.</p> <p>Yes, this request is for a specific site</p>
16	<p>Park facilities and access</p> <p>Reconstruct or upgrade a parks facility</p> <p>Agency: Department of Parks and Recreation</p>	<p>Restore fountains in East River Esplanade Park (Glick Park). Restoration of function to the fountains by replacing the pumps for water circulation and the electrical systems would add considerably to the attractiveness and use of the Park. Although some of the restoration may occur during reconstruction of the 38th Street Pier, that project will not be completed for several years. CB6 has been urging DPR to address this renovation and continues to advocate for the restoration of Glick Park.</p> <p>Yes, this request is for a specific site</p>
17	<p>FDNY facilities and equipment</p> <p>Other FDNY facilities and equipment requests</p> <p>Agency: New York City Fire Department</p>	<p>Provide a back-up generator to Manhattan's Engine 021 firehouse. After Superstorm Sandy, New Yorkers became aware of how our first responders could be limited in carrying out their important work when first-line equipment fails due to flooding or blackouts. Engine 21, to the best of our knowledge does not have one. This station served the post-Sandy Manhattan power-loss zone with limited capacity.</p> <p>Yes, this request is for a specific site</p>
18	<p>Schools and educational facilities</p> <p>Renovate or upgrade an elementary school</p> <p>Agency: School Construction Authority</p>	<p>Resurface the roof playground at PS 40/Salk School of Science. Due to recent construction work on the roof, the rubberized flooring was considerably damaged by equipment and worker traffic. School parents are fearful it can incur additional damage over time and become dangerous to children using the play areas.</p> <p>Yes, this request is for a specific site</p>

CAPITAL REQUESTS FY 2017

	Need & Request	Explained Specific Request
19	<p>Schools and educational facilities</p> <p>Renovate or upgrade an elementary school</p> <p>Agency: School Construction Authority</p>	<p>Replace fifth floor windows at PS 40. The windows on the fifth floor leak air, allowing heat to escape and creating extra expenses to air condition the school. Custodial must constantly re-open them when ventilation is needed, as they do not remain open on their own. Replacement of the windows would make the students and staff more comfortable and save the Department of Education some money on their heating and electric bills.</p> <p>Yes, this request is for a specific site</p>
20	<p>Transportation infrastructure</p> <p>Upgrade or create new greenways</p> <p>Agency: Department of Transportation</p>	<p>Fund a Solution for the pinch point in the Riverfront Esplanade Between 13th Street and 15th Street as included in the Blueway Plan. From 13th to 15th Street, the esplanade heads north of East River Park past the Con Edison pier. While this section has been reconstructed to allow a wider path for bikers and pedestrians, there is a section of the path that remains narrow and promotes collisions. Using some existing FDR Dr infrastructure, the Blueway Plan outlines an elevated, safer pedestrian a ...</p> <p>Yes, this request is for a street segment</p>
21	<p>Park facilities and access</p> <p>Reconstruct or upgrade a parks facility</p> <p>Agency: Department of Parks and Recreation</p>	<p>Reconstruct Ralph J. Bunche Park with special attention to the Isaiah Wall, which needs clean artwork and stone markers. The park also needs replacement of the pavement, benches and fencing. Refurbishment of the landscape is also needed, as well as water service for plantings.</p> <p>Yes, this request is for a specific site</p>
22	<p>Park facilities and access</p> <p>Improve access to a park or playground</p> <p>Agency: Department of Parks and Recreation</p>	<p>CB6 requests that the Parks Department replace or repair stairs that lead up to the pedestrian overpass at Peter Detmold Park. The Board's understanding is that these stairs have deteriorated to the point of being dangerous.</p> <p>Yes, this request is for a specific site</p>
23	<p>Park facilities and access</p> <p>Reconstruct or upgrade a parks facility</p> <p>Agency: Department of Parks and Recreation</p>	<p>Rehabilitate the Stuyvesant Square Park Comfort Station to Provide Full ADA Compliance and Address ADA Compliance for All Comfort Stations Within the District. Man. CB6 requests that all park comfort stations be made ADA compliant. In Stuyvesant Square Park, this requires complete rehabilitation of the comfort station. We believe that all our parks, including the comfort stations in those parks, should comply with both the requirements of and the spirit of the Americans with Disabilities Ac ...</p> <p>Yes, this request is for a specific site</p>

CAPITAL REQUESTS FY 2017

	Need & Request	Explained Specific Request
24	<p>Park facilities and access</p> <p>Reconstruct or upgrade a park or playground</p> <p>Agency: Department of Parks and Recreation</p>	<p>CB6 requests enhancements to St. Vartan Park. Under the Memorandum of Understanding (MOU) related to the replacement of Robert Moses Playground, the parties agreed that St. Vartan Park would be upgraded. The park's use has increased recently due to the opening of PS 281 and requires immediate attention.</p> <p>Yes, this request is for a specific site</p>
25	<p>Transportation infrastructure</p> <p>Repair or provide new street lights</p> <p>Agency: Transportation (DOT)</p>	<p>PS 116 needs additional street lighting on the 32nd Street side of their building, along their schoolyard, to provide additional security for students and faculty exiting the building. Local residents at large would also be well-served to have additional lighting near that building in light of a recent uptick in vagrancy on the block and in the area.</p> <p>Yes, this request is for a specific site</p>
26	<p>Park facilities and access</p> <p>Improve access to a park or playground</p> <p>Agency: Department of Parks and Recreation</p>	<p>Build a pedestrian overpass between Murphy's Brother's Playground & Stuyvesant Cove Park. Due to heavy and fast traffic coming off FDR Dr, access to Stuyvesant Cove Park is dangerous to pedestrians. CB6 requests an overpass connect the two parks for safety reasons.</p> <p>Yes, this request is for a specific site</p>
27	<p>Library facilities, equipment and programs</p> <p>Provide more or better equipment to a library</p> <p>Agency: If Manhattan, Bronx or Staten Island then NYPL; If Queens then QPL; If Brooklyn then BPL</p>	<p>Obtain additional electronic resources for library branches in CD6. With library usage at record highs, primarily by those seeking to use computers for job searches, college applications, grant and benefits research, and other essential reasons, branches should be equipped with additional and upgraded computer stations. Alternative electronic equipment such as newer servers, research platforms and tablets would also help connect all New Yorkers to better data and opportunities.</p> <p>Yes, this request is for an area in our community district or multiple specific sites</p>
28	<p>Park facilities and access</p> <p>Reconstruct or upgrade a parks facility</p> <p>Agency: Department of Parks and Recreation</p>	<p>Restore Lighting in East River Esplanade (Glick Park). The lighting in the park was damaged in Superstorm Sandy and has not been repaired. The lighting is essential to full enjoyment of the park and more importantly, as a security measure. This item has been listed as a "possible project" on the Parks Department profile page, but we have not seen dedicated funding.</p> <p>Yes, this request is for a specific site</p>

CAPITAL REQUESTS FY 2017

	Need & Request	Explained Specific Request
29	<p>Economic development programs</p> <p>Build or expand incubator or affordable work or research lab spaces</p> <p>Agency: Economic Development Corporation</p>	<p>CD6 hosts a premier medical corridor along First Ave that includes several major hospitals and the successful Alexandria Center for Life Science. This cluster of institutions, in addition to university and training facilities, make our district ideal for construction of additional, affordable research lab space and tech-related incubators. The rising cost in the traditional office corridors discourages greater expansion of these industries in New York. We welcome the added employment opportuniti ...</p> <p>Yes, this request is for an area in our community district or multiple specific sites</p>
30	<p>Garbage collection and recycling infrastructure</p> <p>Provide new or increase number of sanitation trucks and other equipment</p> <p>Agency: Department of Sanitation</p>	<p>Allocate an Additional Basket Truck for Sanitation Pickups in CD6. The Board supports increased activity in the district to address the problem of overflowing trash baskets and the prompt removal of trash generated by high-rise apartment buildings and other residential buildings. An additional basket truck would help respond to this concern.</p> <p>No, this is a request for our community more generally</p>
31	<p>Park facilities and access</p> <p>Reconstruct or upgrade a parks facility</p> <p>Agency: Department of Parks and Recreation</p>	<p>Repair Fountains in Dag Hammarskjold Plaza. Most of the fountain equipment has been under water for more than a decade and is hopelessly corroded. This includes both plumbing and electrical wiring. The pumps in two of the six fountains are burned out and require replacement. The Friends of Dag Hammarskjold Plaza raised the problem with the Parks Department and some of the fountains were brought to a repair level that would allow the water to turn-on. These were rudimentary repairs, they are awai ...</p> <p>Yes, this request is for a specific site</p>
32	<p>Library facilities, equipment and programs</p> <p>Create a new, or renovate or upgrade an existing public library</p> <p>Agency: If Manhattan, Bronx or Staten Island then NYPL; If Queens then QPL; If Brooklyn then BPL</p>	<p>The Grand Central Branch of the NYPL requires a new elevator. Their current elevator frequently breaks down, leaving other floors inaccessible for those CD6 residents with disabilities.</p> <p>Yes, this request is for a specific site</p>
34	<p>Public housing upgrades or renovations</p> <p>Install security cameras or make</p>	<p>CB6 has learned that the front and rear lobby doors at Straus Houses and 344 East 28th Street are not functioning properly and are, therefore, a safety concern to management and residents. We request that these doors be entirely replaced with an upgraded system at all buildings within this</p>

CAPITAL REQUESTS FY 2017

	Need & Request	Explained Specific Request
	other safety upgrades Agency: New York City Housing Authority	NYCHA development. Yes, this request is for an area in our community district or multiple specific sites